

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** JUBIZOL TREND FINISH T

· **Article number:** FTZ

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

·

*External decorative render finish JUBIZOL TREND FINISH T, FTZ.*

· **Product category**

*JUBIZOL TREND FINISH T (2.0 mm) products are dispersion thin-coat acrylic trowelled render finishes, based on acrylic polymeric binders with typical evenly grained appearance and intended for decorative protection of façade wall surfaces.*

· **Application of the substance / the mixture**

*JUBIZOL TREND FINISH T products are distinguished by both high hardness and high water repellency. Acrylic renders are also distinguished by atypical relatively high levels of water vapour permeability, due to which they can be applied as render finishes and decorative render finishes also in ETICS systems.*

*Acrylic render finishes are relatively easy to apply and are available in the tinting system in a large number of pastel shades.*

*By using acrylic render finishes, we guarantee that the surfaces will have long-term resistance to infection with wall algae and mould, so the addition of biocidal substances before installation is not required.*

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

*JUB d.o.o.*

*Dol pri Ljubljani 28*

*1262 DOL PRI LJUBLJANI*

*SLOVENIA*

*T: + 386 1 5884 183*

*F: + 386 1 5884 250*

*E: info@jub.si*

· **Further information obtainable from:**

*Product safety department:*

*TRC JUB d.o.o.*

*Branko Petrovic, MSc*

*T: +386 1 5884 185*

*F: +386 1 5884 227*

*E: branko.petrovic@trc-jub.si*

· **1.4 Emergency telephone number:**

*During normal opening times (8 - 16h CET) Group JUB: +386 1 5884 185*

*Emergency number: 112*

*United Kindom: NPIS 0870 600 6266*

## SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

*The product is classified as a dangerous compound, harmful to the environment in accordance with the provisions relating to the classification of chemicals (rules on classification and particularly EU Directives 1967/548/EC and 1999/45/EC related to the Regulation CLP 2008/1272/EC), due to a certain low content of algicide substance.*

*Risks to man: can cause an allergic reaction.*

*Risks to the environment: Harmful to aquatic organisms: may cause long-term adverse effects on aquatic organisms.*

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.08.2015

Revision: 28.05.2015

Trade name: JUBIZOL TREND FINISH T

(Contd. of page 1)

- **Classification according to Regulation (EC) No 1272/2008**

*Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.*

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

*R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

- **Information concerning particular hazards for human and environment:**

*The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.*

- **Classification system:**

*The classification is according to the latest editions of the EU-lists, and extended by company and literature data.*

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

*The product is classified and labelled according to the CLP regulation.*

- **Hazard pictograms** Void

- **Signal word** Void

- **Hazard-determining components of labelling:**

*terbutryn*

- **Hazard statements**

*H412 Harmful to aquatic life with long lasting effects.*

- **Precautionary statements**

*P101 If medical advice is needed, have product container or label at hand.*

*P102 Keep out of reach of children.*

*P103 Read label before use.*

*P273 Avoid release to the environment.*

*P402+P404 Store in a dry place. Store in a closed container.*

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Additional information:**

*Contains 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.*

*Safety data sheet available on request.*

*Algaecide and fungicidal protection of layer is provided by the content: terbutryn, zinc pyrithione and 2-octyl-2H-isothiazol-3-one (Reg. EU 528/2012, Art. 58).*

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

*The product is a chemical compound of polymeric emulsion and inorganic fillers.*

*The main ingredients of acrylic render finishes: acrylate binder, rough and fine calcite and aluminosilicate fillers, cellulose and associative thickeners, titanium dioxide, siloxane additives, additives and water.*

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

*Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

(Contd. on page 3)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.08.2015

Revision: 28.05.2015

**Trade name: JUBIZOL TREND FINISH T**

(Contd. of page 2)

CAS: 886-50-0 EINECS: 212-950-5	terbutryn N R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	< 0.05%
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) T R23/24/25; C R34; Xi R43; N R50/53 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	0.0014%
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Xn R22; Xi R38-41; Xi R43; N R50 Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	< 0.01%
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one T R23/24; C R34; Xn R22; Xi R43; N R50/53 Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	< 0.05%

· **Additional information:** .**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
In case of gas release or seepage into the ground inform responsible authorities.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.08.2015

Revision: 28.05.2015

Trade name: JUBIZOL TREND FINISH T

(Contd. of page 3)

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:**  
Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- **Further information about storage conditions:**  
Store under lock and key and with access restricted to technical experts or their assistants only.
- **Storage class:** Storage class: 12 - Incombustible products
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

26530-20-1 2-octyl-2H-isothiazol-3-one

WEL 0.05 mg/m<sup>3</sup>

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (0.0014%)

Limut WEL 0.05 mg/m<sup>3</sup>

- **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**· **Personal protective equipment:**

- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

- **Respiratory protection:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling

· **Risk management measures**

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.08.2015

Revision: 28.05.2015

Trade name: **JUBIZOL TREND FINISH T**

(Contd. of page 4)

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 388 (Category II).
- Protective goggles must comply with standard BS EN 166
- Protective mask respirator for small dust particles must conform to standard BS EN 149.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form: Pasty  
Colour: Different according to colouring

· Odour: Mild

· Odour threshold: Not determined.

· pH-value at 20 °C: > 8.5

##### · Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 100 °C

· Flash point: > 100 °C

· Flammability (solid, gaseous): Not applicable.

##### · Ignition temperature:

Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

##### · Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapour pressure: Not determined.

· Density at 20 °C: 1.8 g/cm<sup>3</sup>

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

##### · Solubility in / Miscibility with water:

Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

##### · Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

##### · Solvent content:

Organic solvents: 0.0 %

VOC (EC) 1.00 %

VOC content: 20 g/L

(the product is not subject to Directive 2004/42/EC).

Solids content: 86.0 %

· 9.2 Other information: No further relevant information available.

GB

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.08.2015

Revision: 28.05.2015

Trade name: JUBIZOL TREND FINISH T

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **LD/LC50 values relevant for classification:**  
oral. > 2000 mg/kg (rat)  
dermal. > 2000 mg/kg(rat)  
inhal. > 2 mg/kg, 4h (rat)

#### 886-50-0 terbutryn

Oral	LD50	2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	>2200 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**

CAS 886-50-0: terbutryn

Acute EC50 0013 mg / L Algae - *Selenastrum capricornutum*; 168 hoursAcute EC50 2.66 mg / L *Daphnia*; 48 hoursAcute LC50 1.3 mg / l Fish - bluegill *machrochiris*; 96 hours

Acute LC50 1.1 mg / L Fish; 96 hours

Acute LC50 &gt; 1000 mg / l of microorganism; 3 hours

Chronic NOEC of 1.3 mg / l *Daphnia* - *Daphnia magna*; 21 days

Chronic NOEC of 0.84 mg / l Fish - Fathead minnow; 35 days

Chronic NOEC 0,01 mg / l Fish - Rainbow trout; 21 days

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)

EC20 / 0.5h – 10.4 mg/l (activated sludge)

EC20 / 3h - 7.3 mg/l (activated sludge)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.08.2015

Revision: 28.05.2015

Trade name: **JUBIZOL TREND FINISH T**

(Contd. of page 6)

- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Harmful to aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**  
Dispersion acrylic render as waste must not be disposed together with household waste, poured into water, in the sewage system or on the ground. Hardened paint remains must be treated as construction waste.
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances
17 09 03*	other construction and demolition wastes (including mixed wastes) containing dangerous substances
15 01 02	plastic packaging

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b></li> </ul>  | <p><i>JUBIZOL TREND FINISH T is not classified as a substance or compound which would be dangerous for transport in accordance with ADR provisions.</i></p> <p><i>Void</i></p> |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b></li> </ul>                            | <p><i>Void</i></p>   |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul> | <p><i>Void</i></p>   |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | <p><i>Void</i></p>   |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>                                | <p><i>No</i></p>   |
| <ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> </ul>  | <p><i>Not applicable.</i></p>  |
| <ul style="list-style-type: none"> <li>· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b></li> </ul>                        | <p><i>Not applicable.</i></p>  |

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.08.2015

Revision: 28.05.2015

Trade name: JUBIZOL TREND FINISH T

(Contd. of page 7)

· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	-
· <b>UN "Model Regulation":</b>	Void

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The following regulations were considered in the preparation of the document:

Legislation on health and safety at work, chemical legislation and regulations on biocidal products, regulations on classification, packaging and labelling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products, as well as regulations on the management of packaging, packaging waste and waste.

In accordance with the current chemical legislation, the product is classified as potentially allergenic for the user. The product is harmful to the environment due to the algicide substance.

When working with or handling the product, general safety measures must be observed.

· **Labelling according to Regulation (EC) No 1272/2008 -**

· **Chemical safety assessment -**

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R22 Harmful if swallowed.

R23/24 Toxic by inhalation and in contact with skin.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R34 Causes burns.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Recommended restriction of use**

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 20.08.2015

Revision: 28.05.2015

**Trade name: JUBIZOL TREND FINISH T**

(Contd. of page 8)

information as well.

· **Department issuing MSDS:** Product safety department

· **Contact:**

mag. Branko Petrovič

TRC-JUB d.o.o

branko.petrovic@trc-jub.si

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

· **\* Data compared to the previous version altered. Version 1.0, 5.12.2014.**

GB